

FLOS

F3331009 White

Glo-Ball Basic Zero Switch

Designed by Jasper Morrison, 2009




Halogen - 60W

Table/desk lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection-molded polyamide base. Gray painted, die-cast aluminum diffuser support.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607019320
Mounting	Table
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E14
Iicos	HSGS
Number of heads	1
Power (W)	60

Physical

Colour	White
Length (mm)	190
Cord length (mm)	1900
Net weight (kg)	1
Package height (mm)	225
Package width (mm)	260
Package length (mm)	270
Package volume (m3)	0.02
IP internal	40

Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

Photometric Files

[LDT / IES](#)  LDT

Technical Drawings


[2D](#)  ZIP

[3D](#)  ZIP

[Bim](#)  ZIP



Schematic light drawing




Photometric

Lighting type	Total
Light distribution	Roto symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Switch Integrated (Remote Dimmable)
Plug type	Type C
Batteries inside	No


Bulbs



NOT INCLUDED

RF32290


LED Lamp E14 8W 2700K T28



NOT INCLUDED

RF32291


LED Lamp E14 8W 3000K T28



NOT INCLUDED

RF32767

LED Lamp 9W E14 220-240V
2700K T28



NOT INCLUDED

RF32768

LED Lamp 9W E14 220-240V
3000K T28

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Glo-Ball Ceiling/Wall/Basic Zero
diffuser assembly | RF3335100 |
| 02. | Lamp holder fitting e14 | RF18844 |

DOWNLOAD



RF3335100
Glo-Ball Ceiling/Wall/Basic Zero
diffuser assembly



RF18844
Lamp holder fitting e14